

inka

Inka e' una cucina con anta in polimerico, proposta in chiave moderna e dinamica per composizioni dove materiali e superfici si coniugano con armonia. Le raffinate linee, nate da studi attenti a coniugare nel modo migliore la praticita' e l'estetica, concorrono ad organizzare spazi al servizio delle persone , giuste soluzioni per grandi comodita'. L' anta in polimerico viene proposta in una gamma di finiture completa e ricca nei colori e nelle essenze legno sia opache che lucide, per realizzare pregiate combinazioni cromatiche e raffinati giochi compositivi grafici. Gli eleganti elementi a giorno conferiscono nuove possibilita' compositive, legate alla sensibilita' e alla creativita' dell'utente.





INKA



CREO ECOLOGIC

IL GRUPPO LUBE HA SCELTO DI UTILIZZARE PER I COMPONENTI COSTITUENTI LE STRUTTURE DELLE CUCINE SOLO MATERIALE A BASSISSIMA EMISSIONE DI FORMALDEIDE: CONFORMI ALLO STANDARD F4STELLE SECONDO LA NORMA JIS, CERTIFICATO DAL MINISTERO GIAPPONESE, IL PIU' SEVERO IN MERITO ALLE NORMATIVE DI SALVAGUARDIA AMBIENTALE.

Regarding the production of its kitchen structure components, lube group has decided to only use materials featuring very low formaldehyde emissions complying with the 4-star standard, as defined by the jis regulation. This standard is certified by the japanese government-the most rigorous when it comes to environmental protection.

Inka is a kitchen with polymer coated doors, in a modern, dynamic style which marries materials and surfaces in perfect harmony. The refined lines, the outcome of a design which prioritises practicality and aesthetics, enable you to organise your space with the user in mind - the right solution for a practical installation. The polymer doors are offered in a full range of finishes, in both matt and glossy colours and woods, which create prestigious combinations of colour and refined graphic compositions. The elegant open units offer yet more options for composition, limited only by the user's sensibility and creativity.

CARATTERISTICHE TECNICHE

ANTE E FRONTALI CASSETTI	<p>in mdf rivestito in polimerico tinta unita finitura opaca sp mm 18 con interno melaminico bianco opaco, nei colori: bianco assoluto (opz.740P), tortora scuro (opz.8981), kaschmir (opz.7713), grigio seta (opz.9605), grafite (opz.9619), blu petrolio (opz.8325), verde lichene (opz.8441), grigio polvere (opz.9617)</p> <p>in mdf rivestito in polimerico effetto legno finitura opaca venatura orizzontale sp mm 18 con interno melaminico bianco opaco nei colori: olmo cotto (opz.5072), larice bianco (sfumato grigio) (opz.295P), noce chiaro (opz.238P), noce grigio (opz.239P), tranchè rovere champagne (opz.5273), tranchè rovere visone (opz.5275), rovere cenere (opz.260P)</p> <p>in mdf rivestito in polimerico tinta unita finitura lucida sp mm 18 con interno melaminico bianco opaco, nel colore: bianco assoluto (opz.741P), tortora scuro (opz.8982), beige (opz.7712), grigio vapore (opz.9608), antracite (opz.9602), senape (opz.8224), celeste alpaca (opz.8322), grigio ghiaia (opz.9611)</p>
ANTE VETRO	<p>di serie: telaio in mdf rivestito in polimerico finitura come anta sp mm 18, vetro satinato sp. mm 4</p> <p>a richiesta: telaio in alluminio finitura brill sp mm 20 con maniglia incorporata L 80 mm, vetro satinato sp. mm 4 telaio in alluminio finitura brill sp mm 20 con maniglia incorporata L 80 mm, vetro colorato sp. mm 4</p>
MANIGLIE	<p>di serie: F466 finitura cromo passo mm 160</p> <p>a richiesta: 503 finitura cromo passo mm 64/160/320 in funzione dell'anta F497 finitura cromo passo mm 160 489 finitura cromo passo mm 64/160/224 in funzione dell'anta F499 finitura cromo passo mm 160 477 finitura cromo passo mm 64/160/320 in funzione dell'anta 475C finitura cromo passo mm 96/160/320 in funzione dell'anta 501 finitura cromo passo mm 64/160/320 in funzione dell'anta 790C finitura cromo montata in orizzontale passo in funzione dell'anta 790M finitura brown montata in orizzontale passo in funzione dell'anta 442 in metacrilato con base finitura cromo lucido passo mm 32/96 K53 finitura cromo passo mm 64/160/320 in funzione dell'anta K54 finitura cromo passo mm 64/160/320 in funzione dell'anta 412 pomo finitura nichel satinato passo mm 16 420 pomo finitura nichel satinato passo mm 64</p>
STRUTTURE DI SERIE	<p>ANTE: BIANCO ASSOLUTO OPACO E LUCIDO, BLU PETROLIO OPACO, GRIGIO SETA OPACO, GRIGIO VAPORE LUCIDO, NOCE CHIARO, NOCE GRIGIO, VERDE LICHENE OPACO, LARICE BIANCO, GRIGIO POLVERE OPACO, CELESTE ALPACA LUCIDO, TRANCHÈ ROVERE CHAMPAGNE nobilitato bianco (opz.001), schiena e ripiano bianco (opz.001)</p> <p>ANTE: GRIGIO GHIAIA, TRANCHÈ ROVERE VISONE nobilitato devalè finitura grafis (opz.796), schiena e ripiano bianco (opz.001)</p> <p>ANTE: KASCHMIR OPACO, TORTORA SCURO OPACO E LUCIDO, SENAPE, BEIGE nobilitato perla d'oriente (opz.940), schiena e ripiano avorio (opz.930)</p> <p>ANTE: GRAFITE OPACO, ANTRACITE nobilitato rovere grigio (opz.170) schiena e ripiano bianco (opz.001)</p> <p>ANTA: ROVERE CENERE nobilitato rovere cenere (opz.261) schiena e ripiano bianco (opz.001)</p> <p>ANTA: OLMO COTTO nobilitato teak noce (opz.084) schiena e ripiano bianco (opz.001)</p>
TOP DI SERIE	<p>altezza cm 4 in laminato postformato bianco (opz.001), idrorepellente</p>
MENSOLE	<p>di serie: altezza 3,8 cm in laminato bianco (opz.001)</p> <p>a richiesta: altezza 3,8 cm in laminato perla d'oriente (opz.940), devalè finitura grafis (opz.796), rovere grigio (opz.170), rovere cenere (opz.261), teak noce (opz.084)</p> <p>a richiesta: altezza 3,8 cm in polimerico per le finiture vedi colore ante</p>
ZOCCOLI	<p>di serie: altezza 15 cm in pvc ricoperti in melamina colore alluminio satinato (opz.405)</p> <p>a richiesta: altezza 15 cm in pvc ricoperti in melamina finitura acciaio (opz.407) altezza 15 cm in pvc ricoperti in melamina bianco (opz.001)</p>



TECHNICAL SPECIFICATIONS

DOORS AND DRAWER FRONTS	<p>mdf solid colour polymeric, coated matt finish, thickness 18 mm with melamine interior matt white, colours: absolute white (code 740P), dark dove grey (code 8981), kaschmir (code 7713), silk grey (code 9605), graphite (code 9619), petroleum blue (code 8325), lichen green (code 8441), dust grey (code 9617)</p> <p>mdf wood effect polymeric, coated matt finish horizontal grain, thickness 18 mm with melamine interior matt white, colours: burnt elm (code 5072), white larch (grey fading) (code 295P), light walnut (code 238P), grey walnut (code 239P), tranchè champagne oak (code 5273), tranchè mink oak (code 5275), ash oak (code 260P)</p> <p>mdf, solid colour polymeric, coated glossy finish, thickness 18 mm with melamine interior matt white, colours: absolute white (code 741P), dark dove grey (code 8982), beige (code 7712) steam grey (code 9608), anthracite (code 9602), mustard (code 8224), alpaca light blue (code 8322), gravel grey (code 9611)</p>
GLASS DOORS	<p>standard: mdf frame polymeric, coated finish matching door, thickness 18 mm, frosted glass, thickness 4 mm</p> <p>on request: brill finish aluminium frame, thickness 20 mm with incorporated handle L 80 mm, frosted glass, thickness 4 mm brill finish aluminium frame, thickness 20 mm with incorporated handle L 80 mm, coloured glass, thickness 4 mm</p>
HANDLES	<p>standard: F466 chrome finish, centre-to-centre distance 160 mm</p> <p>on request: 503 chrome finish, centre-to-centre distance 64/160/320 mm depending on the door F497 chrome finish, centre-to-centre distance 160 mm 489 chrome finish, centre-to-centre distance 64/160/224 mm depending on the door F499 chrome finish, centre-to-centre distance 160 mm 477 chrome finish, centre-to-centre distance 64/160/320 mm depending on the door 475C chrome finish, centre-to-centre distance 96/160/320 mm depending on the door 501 chrome finish, centre-to-centre distance 64/160/320 mm depending on the door 790C chrome finish, horizontally mounted, variable centre-to-centre distance depending on the door 790M brown finish, horizontally mounted, variable centre-to-centre distance depending on the door 442 methacrylate, with glossy chrome finish base, centre-to-centre distance 32/96 mm K53 chrome finish, centre-to-centre distance 64/160/320 mm depending on the door K54 chrome finish, centre-to-centre distance 64/160/320 mm depending on the door 412 knob hole satin nickel finish, centre-to-centre distance 16 mm 420 knob hole satin nickel finish, centre-to-centre distance 64 mm</p>
STANDARD CARCASSES	<p>DOORS: MATT AND GLOSSY ABSOLUTE WHITE, MATT PETROLEUM BLUE, MATT STEAM GREY, GLOSSY STEAL GREY, LIGHT WALNUT, GREY WALNUT, MATT LICHEN GREEN, WHITE LARCH, MATT DUST GREY, GLOSSY ALPACA LIGHT BLUE, TRANCHÉ OAK CHAMPAGNE melamine-coated white (code 001), white back panel and shelf (code 001)</p> <p>DOORS: GRAVEL GREY, TRANCHÉ OAK MINK melamine-coated devalè with grafis finish (code 796), white back panel and shelf (code 001)</p> <p>DOORS: MATT KASCHMIR, MATT AND GLOSSY DARK DOVE GREY, MUSTARD, BEIGE melamine-coated oriental pearl (code 940), ivory back panel and shelf (code 930)</p> <p>DOORS: MATT GRAPHITE, ANTHRACITE melamine-coated grey oak (code 170), white back panel and shelf (code 001)</p> <p>DOOR: ASH OAK melamine-coated ash oak (code 261), white back panel and shelf (code 001)</p> <p>DOOR: BURNT ELM melamine-coated teak-walnut (code 084), white back panel and shelf</p>
STANDARD TOPS	<p>thickness 4 cm, white post-formed laminate (code 001), waterproof</p>
SHELVES	<p>standard: thickness 3.8 cm, white laminate (code 001),</p> <p>on request: thickness 3.8 cm, oriental pearl laminate (code 940), devalè with grafis finish (code 796), grey oak (code 170), ash oak (code 261), teak-walnut (code 084)</p> <p>on request: thickness 3.8 cm, polymeric for the finishes see door colours</p>
PLINTHS	<p>standard: height 15 cm, melamine-coated pvc with satin aluminium finish (code 405)</p> <p>on request: height 15 cm, melamine-coated pvc with steel finish (code 407) height 15 cm, white melamine-coated finish (code 001)</p>

inka opaca - matt

cod. **K22**

ante doors




tortora scuro (opz.8981)
dark dove grey
(code 8981)

cestone tortora scuro (opz.8981)
deep drawer
dark dove grey (code 8981)

cassetto tortora scuro (opz.8981)
drawer
dark dove grey (code 8981)

SP. 18 MM TH.18 MM




ante vetro di serie standard glass doors



telaio in polimerico finitura tortora scuro (opz.8981), vetro satinato
polymeric frame with dark dove grey finish (code 8981), frosted glass

telaio cestone in polimerico finitura tortora scuro (opz.8981), vetro satinato
deep drawer, polymeric frame with dark dove grey finish (code 8981), frosted glass


SP. 18 MM TH.18 MM



inka opaca - matt

cod. **K22**

colori tinta unita opachi matt solid colours



bianco assoluto (opz.740P)
absolute white (code 740P)



tortora scuro (opz.8981)
dark dove grey (code 8981)

NEW



kaschmir (opz.7713)
kaschmir (code 7713)



grigio seta (opz.9605)
silk grey (code 9605)



verde lichene (opz.8441)
lichen green (code 8441)

NEW



blu petrolio (opz.8325)
petroleum blue (code 8325)

NEW



grafite (opz.9619)
graphite (code 9619)

NEW



grigio polvere (opz.9617)
dust grey (code 9617)


colori legno opachi matt wood colours




larice bianco (opz.295P)
white larch (code 295P)



noce chiaro (opz.238P)
light walnut (code 238P)




noce grigio (opz.239P)
grey walnut (code 239P)



rovere cenere (opz.260P)
ash oak (code 260P)

NEW



olmo cotto (opz.5072)
burnt elm (code 5072)



tranchè rovere champagne (opz.5273)
tranchè champagne oak (code 5273)



tranchè rovere visone (opz.5275)
tranchè mink oak (code 5275)

colore interno delle ante internal door colour



bianco opaco
matt white

inka lucida - glossy

cod. **K22**

ante doors




antracite (opz.9602)
anthracite (code 9602)

cestone antracite (opz.9602)
deep drawer
anthracite (code 9602)

cassetto antracite (opz.9602)
drawer
anthracite (code 9602)

SP. 18 MM TH.18 MM




ante vetro di serie standard glass doors



**telaio in polimerico
finitura antracite
(opz.9602), vetro satinato**
polymeric frame with
anthracite finish
(code 9602), frosted glass

**telaio cestone in polimerico
finitura antracite
(opz.9602), vetro satinato**
deep drawer, polymeric frame
with anthracite finish
(code 9602), frosted glass

SP. 18 MM TH.18 MM



inka lucida - glossy

cod. **K22**

colori tinta unita lucidi glossy solid colours



bianco assoluto (opz.741P)
absolute white (code 741P)



tortora scuro (opz.8982)
dark dove grey (code 8982)



beige (opz.7712)
beige (code 7712)

NEW



grigio vapore (opz.9608)
steam grey (code 9608)



antracite (opz.9602)
anthracite (code 9602)

NEW



celestre alpaca (opz.8322)
alpaca light blue (code 8322)

NEW



senape (opz.8224)
mustard (code 8224)

NEW



grigio ghiaia (opz.9611)
gravel grey (code 9611)

colore interno delle ante internal door colour



bianco opaco
matt white

ante vetro alluminio finitura brill vetro satinato



doors brill finish aluminium frame and frosted glass panel



telaio alluminio brill (opz.412) con maniglia incorporata L 80 mm, vetro satinato
brill finish aluminium frame (code 412) with incorporated handle L 80 mm, frosted glass



cestone vetro telaio alluminio brill (opz.412) con maniglia incorporata L 80 mm, vetro satinato
deep drawer, brill finish aluminium frame (code 412) with incorporated handle L 80 mm, frosted glass



ante vetro alluminio finitura brill vetro colorato



doors brill finish aluminium frame and coloured glass panel



telaio alluminio brill con vetro colorato corda (opz.736SK)
brill finish aluminium frame with jute coloured glass (code 736SK)




cestone vetro telaio alluminio brill con vetro colorato corda (opz.736SK)
deep drawer, brill finish aluminium frame with jute coloured glass (code 736SK)



colori vetri glass colours



bianco neve snow white (opz.730SK) satinato frosted (opz.710K) lucido glossy



avorio ivory (opz.731SK) satinato frosted (opz.711K) lucido glossy



giallo ambra amber yellow (opz.723SK) satinato frosted (opz.723K) lucido glossy



sabbia sand (opz.726SK) satinato frosted (opz.726K) lucido glossy



corda jute (opz.736SK) satinato frosted (opz.736K) lucido glossy



blu oltremare ultramarine blue (opz.922SK) satinato frosted (opz.923K) lucido glossy



lavanda lavender (opz.9141K) satinato frosted (opz.9142K) lucido glossy



rosso chiaro light red (opz.724SK) satinato frosted (opz.724K) lucido glossy



visone mink (opz.946SK) satinato frosted (opz.945K) lucido glossy



caffè coffee (opz.887SK) satinato frosted (opz.888K) lucido glossy



grafite graphite (opz.727SK) satinato frosted (opz.727K) lucido glossy



blu aviazione aviation blue (opz.8363K) satinato frosted (opz.8364K) lucido glossy



DI SERIE STANDARD



Maniglia F466 finitura cromo
passo 160 mm
passo 64 mm solo per anta L 15

Handle F466 chrome finish
centre-to-centre distance 160 mm
centre-to-centre distance 64 mm for door W 15

A RICHIESTA ON REQUEST



Maniglia F497 finitura cromo
passo 160 mm
passo 64 mm solo per anta L 15

Handle F497 chrome finish
centre-to-centre distance 160 mm
centre-to-centre distance 64 mm for door W 15

A RICHIESTA ON REQUEST



Maniglia F499 finitura cromo
passo 160 mm
passo 64 mm solo per anta L 15

Handle F499 chrome finish
centre-to-centre distance 160 mm
centre-to-centre distance 64 mm for door W 15

A RICHIESTA ON REQUEST **NEW**



Maniglia K53 finitura cromo
anta L 15 → passo 64 mm
anta da L 30 a L 45 → passo 160 mm
anta da L 60 a L 90 → passo 320 mm

Handle K53 chrome finish
door W 15 → centre-to-centre distance 64 mm
door from W 30 to W 45 → centre-to-centre distance 160 mm
door from W 60 to W 90 → centre-to-centre distance 320 mm

A RICHIESTA ON REQUEST



Maniglia 503 finitura cromo
anta L 15 → passo 64 mm
anta da L 30 a L 45 → passo 160 mm
anta da L 60 a L 90 → passo 320 mm

Handle 503 chrome finish
door W 15 → centre-to-centre distance 64 mm
door from W 30 to W 45 → centre-to-centre distance 160 mm
door from W 60 to W 90 → centre-to-centre distance 320 mm

A RICHIESTA ON REQUEST



Maniglia 489 finitura cromo
anta L 15 → passo 64 mm
anta da L 30 a L 45 → passo 160 mm
anta da L 60 a L 90 → passo 224 mm

Handle 489 chrome finish
door W 15 → centre-to-centre distance 64 mm
door from W 30 to W 45 → centre-to-centre distance 160 mm
door from W 60 to W 90 → centre-to-centre distance 224 mm

A RICHIESTA ON REQUEST



Maniglia 475C finitura cromo
anta L 15 → passo 96 mm
anta da L 30 a L 45 → passo 160 mm
anta da L 60 a L 90 → passo 320 mm

Handle 475C chrome finish
door W 15 → centre-to-centre distance 96 mm
door from W 30 to W 45 → centre-to-centre distance 160 mm
door from W 60 to W 90 → centre-to-centre distance 320 mm

A RICHIESTA ON REQUEST **NEW**



Maniglia K54 finitura cromo
anta L 15 → passo 64 mm
anta da L 30 a L 45 → passo 160 mm
anta da L 60 a L 90 → passo 320 mm

Handle K54 chrome finish
door W 15 → centre-to-centre distance 64 mm
door from W 30 to W 45 → centre-to-centre distance 160 mm
door from W 60 to W 90 → centre-to-centre distance 320 mm

A RICHIESTA ON REQUEST



Maniglia 477 finitura cromo
anta L 15 → passo 64 mm
anta da L 30 a L 45 → passo 160 mm
anta da L 60 a L 90 → passo 320 mm

Handle 477 chrome finish
door W 15 → centre-to-centre distance 64 mm
door from W 30 to W 45 → centre-to-centre distance 160 mm
door from W 60 to W 90 → centre-to-centre distance 320 mm

A RICHIESTA ON REQUEST



Maniglia 501 finitura cromo
anta L 15 → passo 64 mm
anta da L 30 a L 45 → passo 160 mm
anta da L 60 a L 90 → passo 320 mm

Handle 501 chrome finish
door W 15 → centre-to-centre distance 64 mm
door from W 30 to W 45 → centre-to-centre distance 160 mm
door from W 60 to W 90 → centre-to-centre distance 320 mm

A RICHIESTA ON REQUEST



Maniglia 442 finitura metacrilato
anta L 15 → passo 32 mm
anta da L 30 a L 90 → passo 96 mm

Handle 442 methacrylate finish
door W 15 → centre-to-centre distance 32 mm
door from W 30 to W 90 → centre-to-centre distance 96 mm

A RICHIESTA ON REQUEST



Pomo 412 finitura nichel satinato
passo 16 mm

Knob 412 satin nickel finish
centre-to-centre distance 16 mm

A RICHIESTA ON REQUEST



Pomo 420 finitura nichel satinato
passo 64 mm

Knob 420 satin nickel finish
centre-to-centre distance 64 mm

A RICHIESTA ON REQUEST



Maniglia 790C finitura cromo
passo in funzione dell'anta

Handle 790C chrome finish
centre-to-centre distance varies according to the door

A RICHIESTA ON REQUEST



Maniglia 790M finitura brown opaco
passo in funzione dell'anta

Handle 790M matt brown finish
centre-to-centre distance varies according to the door











SCHEMA MANIGLIE OPZ.790C-790M HANDLES DIAGRAM CODE 790C-790M

terminale pensile
tipo "B"
end wall unit
type "B"

angolo pensile
a libro 65x65
corner wall unit with
folding door 65x65

terminale pensile-base
tipo "B"
end wall unit – base unit
type "B"

terminale base
tipo "B"
end base unit
type "B"



inka

strutture carcasses



bianco (opz.001)
schiena e ripiano bianco (opz.001)
white (code 001)
white back panel and shelf (code 001)



devalè finitura grafis (opz.796)
schiena e ripiano bianco (opz.001)
devalè with grafis finish (code 796)
white back panel and shelf (code 001)



rovere cenere (opz.261)
schiena e ripiano bianco (opz.001)
ash oak (code 261)
white back panel and shelf (code 001)



perla d'oriente (opz.940)
schiena e ripiano avorio (opz.930)
oriental pearl (code 940)
ivory back panel and shelf (code 930)



rovere grigio (opz.170)
schiena e ripiano bianco (opz.001)
grey oak (code 170)
white back panel and shelf (code 001)



teak noce (opz.084)
schiena e ripiano bianco (opz.001)
teak-walnut (code 084)
white back panel and shelf (code 001)



CREO ECOLOGIC

IL GRUPPO LUBE HA SCELTO DI UTILIZZARE PER I COMPONENTI COSTITUENTI LE STRUTTURE DELLE CUCINE SOLO MATERIALE A BASSISSIMA EMISSIONE DI FORMALDEIDE: CONFORMI ALLC STANDARD F**** SECONDO LA NORMA JIS, CERTIFICATO DAL MINISTERO GIAPPONESE, IL PIU SEVERO IN MERITO ALLE NORMATIVE DI SALVAGUARDIA AMBIENTALE.

LUBE GROUP HAS CHOSEN TO EXCLUSIVELY USE MATERIALS WITH VERY LOW FORMALDEHYDE EMISSIONS FOR THE COMPONENTS MAKING UP THE KITCHEN CARCASSES: THESE ELEMENTS COMPLY WITH THE F4 STAR STANDARD ACCORDING TO JIS, CERTIFIED BY THE JAPANESE GOVERNMENT - THE MOST STRINGENT WHEN IT COMES TO ENVIRONMENTAL PROTECTION.

zoccoli in pvc H 15 pvc plinth H 15



alluminio satinato (opz.405)
satin aluminium (code 405)



acciaio (opz.407)
steel (code 407)



bianco (opz.001)
white (code 001)

inka

mensole in laminato laminate shelves



bianco (opz.001)
white (code 001)



devalè finitura grafis
(opz.796)
devalè with grafis finish (code 796)



perla d'oriente (opz.940)
oriental pearl (code 940)



rovere grigio (opz.170)
grey oak (code 170)



rovere cenere (opz.261)
ash oak (code 261)



teak noce (opz.084)
teak-walnut (code 084)


mensole in polimerico polymer shelves



noce grigio (opz.239P)
grey walnut (code 239P)

N.B.: per le finiture vedi colori ante
Note: for the finishes see door colours


top H 4 consigliati in laminato bordo postformato recommended laminate worktops H 4 with post-formed edge



bianco (opz.001)
white




sabbia finitura mika
(opz.823)
sand with mika finish




calce finitura wraky
(opz.814)
white-wash with wraky finish




grigio cemento finitura touch
(opz.786)
grey cement with touch finish




beige chiaro (opz.008)
light beige




fire coat (opz.372)
coat fire



piasentina finitura cliff
(opz.776) piasentina stone
with cliff finish



ardesia (opz.785)
slate grey



tortora finitura plamky
(opz.1027)
dove grey with plamky finish




shiro finitura flattening
(opz.4545)
shiro with flattening finish

top H 4 consigliati in laminato bordo ABS 1 recommended laminate worktops H 4 with ABS 1 edge




bianco finitura velvet
(opz.800)
white with velvet finish




caffè finitura cristal
(opz.831)
coffee with crystal finish



sabbia finitura mika
(opz.823)
sand with mika finish




calce finitura wraky
(opz.814)
white-wash with wraky finish




grigio chiaro finitura plamky
(opz.1366)
light grey with plamky finish




antracite finitura flattening
(opz.858)
anthracite with flattening finish




travertino beige con stuccature
finitura plamky (opz.822)
travertine beige with putty
plamky finish



cemento finitura plamky
(opz.6066)
cement with plamky finish






corda finitura plamky
(opz.1109)
jute with plamky finish



tortora finitura plamky
(opz.1027)
dove grey with plamky finish


MODULARITÀ E COMPONIBILITÀ MODULARITY AND FITTING SOLUTIONS

- * ESCLIRO 46 ● SOLO 60
ESCLIRO 46
- * ESCLIRO 46 ● SOLO 45/60
ESCLIRO 46
- * ANTI VETRO ● SOLO 45/60
ANTI VETRO
- * ANTI VETRO ● SOLO 60
ANTI VETRO




MODULARITÀ E COMPONIBILITÀ MODULARITY AND FITTING SOLUTIONS


BASI H 75 PER TOP H 12
BASE UNITS H 75 FOR TOP H 12






BASI SOSPENSE
HANGING BASE UNITS



BASI LIVING CON ZOCCOLO
ROOM UNITS WITH PLINTH




BASI LIVING CON PIEDINO CROMATO H 2
ROOM UNITS WITH FEET CHROME H 2




SCHEMA DI ALLACCIO IMPIANTO ELETTRICO IDRICO E GAS

POWER, WATER AND GAS NETWORKS CONNECTIONS DIAGRAM



SOTTOLAVELLO CON ANTE
SINK BASE UNIT WITH DOORS



SOTTOLAVELLO 2 CESTONI CON SIFONE SALVASPAZIO
SINK BASE UNIT WITH 2 DEEP DRAWERS AND SPACE-SAVER DRAIN PIPING