

iris

Il modello Iris rilegge con spirito contemporaneo i temi più classici del vivere in cucina, creando sofisticate atmosfere che possono essere coniugate anche per la zona living. L'anta dal disegno tradizionale a telaio è arricchita da una serie di varianti colore assolutamente attuali e di moda. Iris è un modello di cucina assolutamente straordinario, con forte personalità, pronto a soddisfare le diverse esigenze nell'ambiente cucina, sia di gusto che di funzionalità, per creare pregiate composizioni in stile tradizionale assolutamente originali ed inedite.





CREO ECOLOGIC

IL GRUPPO LUBE HA SCELTO DI UTILIZZARE PER I COMPONENTI COSTITUENTI LE STRUTTURE DELLE CUCINE SOLO MATERIALE A BASSISSIMA EMISSIONE DI FORMALDEIDE: CONFORMI ALLO STANDARD F4STELLE SECONDO LA NORMA JIS, CERTIFICATO DAL MINISTERO GIAPPONESE, IL PIU' SEVERO IN MERITO ALLE NORMATIVE DI SALVAGUARDIA AMBIENTALE.

Regarding the production of its kitchen structure components, lube group has decided to only use materials featuring very low formaldehyde emissions complying with the 4-star standard, as defined by the jis regulation. This standard is certified by the japanese government-the most rigorous when it comes to environmental protection.

The Iris model provides a contemporary look to most classical kitchen styles, creating sophisticated atmospheres that can also be combined with the living area. The traditional framed door design is enriched by a series of extremely contemporary and fashionable colour variations. Iris is an extraordinary kitchen model with a strong personality. It is ready to satisfy different needs in a kitchen space, in terms of both taste and functionality, in order to create refined traditional compositions with an original and unusual style.

CREO KITCHENS

iris

cod. **K13**

SP. 20 MM

CARATTERISTICHE TECNICHE

ANTE	telaio in massello di frassino sp. 20 mm con bugna impiallacciata frassino nei colori: bianco camelia a poro aperto (opz.606), argilla invecchiato (opz.2445), grigio invecchiato (opz.2446)
ANTE VETRO	telaio in massello di frassino sp. 20 mm nei colori: bianco camelia a poro aperto (opz.606), argilla invecchiato (opz.2445), grigio invecchiato (opz.2446), con vetro satinato molato
FRONTALE CASSETTI	in massello di frassino nei colori: bianco camelia a poro aperto (opz.606), argilla invecchiato (opz.2445), grigio invecchiato (opz.2446)
MANIGLIE	ANTA: bianco camelia di serie: 872 finitura cromo lucido passo mm 160 a richiesta: 820 finitura nichel satinato passo mm 160 412 pomo finitura nichel satinato passo mm 16 ANTE: argilla invecchiato, grigio invecchiato di serie: K82 finitura nichel satinato passo mm 128 a richiesta: 156 finitura argento antico passo mm 96 435 pomo finitura argento
STRUTTURE DI SERIE	ANTA: bianco camelia nobilitato bianco camelia (opz.606), schiena e ripiano avorio (opz.930) ANTA: argilla invecchiato nobilitato bianco (opz.001) schiena e ripiano bianco (opz.001) ANTA: grigio invecchiato nobilitato perla d'oriente (opz.940), schiena e ripiano avorio (opz.930)
TOP DI SERIE	altezza cm 4 in laminato postformato travertino (opz.240), idrorepellente
MENSOLE	di serie: altezza cm 3,8 in laminato colore bianco camelia (opz.606), bianco (opz.001), perla d'oriente (opz.940) a richiesta: altezza cm 3,8 impiallacciate finitura come ante
ZOCCOLI	di serie: altezza 15 cm in pvc ricoperti in melamina colore bianco camelia (opz.606), argilla invecchiato (opz.2445), grigio invecchiato (opz.2446), con guarnizione in gomma a richiesta: altezza 15 cm in pvc ricoperti in melamina colore alluminio satinato (opz.405)



CREO[®]
KITCHENS

iris

code **K13**

TH.20 MM

TECHNICAL SPECIFICATIONS

DOORS	solid wood frame in ash th. 20 mm with ash veneered central panel in the following finishes: open-pore camellia white (opt.606), aged clay (opt.2445), aged grey (opt.2446)
GLASS DOORS	solid wood frame in ash th. 20 mm in the following finishes: open-pore camellia white (opt.606), aged clay (opt.2445), aged grey (opt.2446), with frosted and bevelled glass
DRAWERS FRONT	in solid ash in the following finishes: open-pore camellia white finish (opt.606), aged clay (opt.2445), aged grey (opt.2446)
HANDLES	DOOR: camellia white standard: 872 polished chrome finish, centre-to-centre distance 160 mm on request: 820 satin nickel finish, centre-to-centre distance 160 mm 412 knob hole satin nickel finish, centre-to-centre distance 16 mm DOORS: aged clay, aged grey standard: K82 satin nickel finish, centre-to-centre distance 128 mm on request: 156 antique silver finish, centre-to-centre distance 96 mm 435 knob hole silver finish
STANDARD CARCASSES	DOOR: camellia white melamine-coated camellia white (opt.606), ivory back panel and shelf (opt.930) DOOR: aged clay melamine-coated white (opt.001), white back panel and shelf (opt.001) DOOR: aged grey melamine-coated oriental pearl (opt.940), ivory back panel and shelf (opt.930)
STANDARD TOPS	thickness 4 cm, post-formed laminate in travertine (opt.240), water-repellent
SHELVES	standard: height 3.8 cm, in camellia white laminate (opt.606), white (opt.001), oriental pearl (opt.940) on request: height 3.8 cm, veneered same finishes as doors
PLINTHS	standard: height 15 cm in melamine-coated pvc in camellia white (opt.606), aged clay (opt.2445), aged grey (opt.2446), with rubber seal on request: height 15 cm, in melamine-coated pvc with satin-finish aluminium finish (opt.405)

iris

cod. **K13**

ante doors



bianco camelia
a poro aperto (opz.606)
open-pore camellia white
(opt.606)




cestone bianco camelia
a poro aperto (opz.606)
deep drawer open-pore
camellia white (opt.606)



cassetto bianco camelia
a poro aperto (opz.606)
drawer open-pore
camellia white (opt.606)

SP. 20 MM TH.20 MM



NEW



argilla invecchiato (opz.2445)
aged clay (opt.2445)



cestone argilla invecchiato
(opz.2445)
deep drawer aged clay
(opt.2445)



cassetto argilla invecchiato
(opz.2445)
drawer aged clay
(opt.2445)

NEW



grigio invecchiato (opz.2446)
aged grey (opt.2446)



cestone grigio invecchiato
(opz.2446)
deep drawer aged grey
(opt.2446)



cassetto grigio invecchiato
(opz.2446)
drawer aged grey
(opt.2446)

iris

cod. **K13**

ante vetro glass doors



telaio bianco camelia
a poro aperto (opz.606),
con vetro satinato molato
frame open-pore camellia
white (opt.606), with frosted
and bevelled glass

NEW



cestone vetro telaio bianco
camelia a poro aperto (opz.606),
con vetro satinato molato
glass deep drawer frame
open-pore camellia white
(opt.606), with frosted
and bevelled glass



telaio argilla invecchiato
(opz.2445), con vetro
satinato molato
frame aged clay (opt.2445),
with frosted and bevelled glass

NEW



cestone vetro telaio
argilla invecchiato (opz.2445),
con vetro satinato molato
glass deep drawer frame
aged clay (opt.2445), with
frosted and bevelled glass




telaio grigio invecchiato
(opz.2446), con vetro
satinato molato
frame aged grey (opt.2446),
with frosted and bevelled glass



cestone vetro telaio
grigio invecchiato (opz.2446),
con vetro satinato molato
glass deep drawer frame
aged grey (opt.2446), with
frosted and bevelled glass

SP. 20 MM TH.20 MM



DI SERIE per anta bianco camelia
STANDARD for camellia white door



Maniglia 872 finitura cromo lucido
passo 160 mm

Handle 872 polished chrome finish
centre-to-centre distance 160 mm



Pomo 872P finitura cromo
per anta L 15 in abbinamento
alla maniglia 872

Knob 872P chrome finish
for door W 15 in combination
to the handle 872

A RICHIESTA ON REQUEST



Maniglia 820 finitura nichel satinato
passo 160 mm

Handle 820 satin nickel finish
centre-to-centre distance 160 mm

A RICHIESTA ON REQUEST



Pomo 412 finitura nichel satinato
passo 16 mm

Knob 412 satin nickel finish
centre-to-centre distance 16 mm

NEW

DI SERIE per ante argilla invecchiato, grigio invecchiato
STANDARD for aged clay, aged grey doors



Maniglia K82 finitura nichel satinato
passo 128 mm

Handle K82 satin nickel finish
centre-to-centre distance 128 mm



Pomo K82P finitura nichel satinato
passo 32 mm
utilizzata per elementi da 15 con maniglia K82

Knob K82P satin nickel finish
centre-to-centre distance 32 mm
used for W 15 elements with handle K82

A RICHIESTA ON REQUEST



Maniglia 156 finitura argento antico
passo 96 mm

Handle 156 antique silver finish
centre-to-centre distance 96 mm

A RICHIESTA ON REQUEST



Pomo 435 finitura argento

Knob hole 435 silver finish

iris

strutture carcasses



bianco camelia (opz.606)
schiena e ripiano avorio (opz.930)
camellia white (opt.606)
ivory back panel and shelf (opt.930)



bianco (opz.001)
schiena e ripiano bianco (opz.001)
white (opt.001)
white back panel and shelf (opt.001)



perla d'oriente (opz.940)
schiena e ripiano avorio (opz.930)
oriental pearl (opt.940)
ivory back panel and shelf (opt.930)



CREO ECOLOGIC

IL GRUPPO LUBE HA SCELTO DI UTILIZZARE PER I COMPONENTI COSTITUENTI LE STRUTTURE DELLE CUCINE SOLO MATERIALE A BASSISSIMA EMISSIONE DI FORMALDEIDE: CONFORMI ALLO STANDARD ***** SECONDO LA NORMA JIS. CERTIFICATO DAL MINISTERO GIAPPONESE, IL PIÙ SEVERO IN MERITO ALLE NORMATIVE DI SALVAGUARDIA AMBIENTALE.

LUBE GROUP HAS CHOSEN TO EXCLUSIVELY USE MATERIALS WITH VERY LOW FORMALDEHYDE EMISSIONS FOR THE COMPONENTS MAKING UP THE KITCHEN CARCASSES. THESE ELEMENTS COMPLY WITH THE F4 STAR STANDARD ACCORDING TO JIS, CERTIFIED BY THE JAPANESE GOVERNMENT - THE MOST STRINGENT WHEN IT COMES TO ENVIRONMENTAL PROTECTION.

mensole in laminato laminate shelves



bianco camelia (opz.606)
camellia white (opt.606)



bianco (opz.001)
white (opt.001)



perla d'oriente (opz.940)
oriental pearl (opt.940)

mensole impiallacciate veneered shelves



bianco camelia
a poro aperto (opz.606)
open-pore camellia white
(opt.606)



argilla invecchiato
(opz.2445)
aged clay (opt.2445)



grigio invecchiato
(opz.2446)
aged grey (opt.2446)

zoccoli in pvc H 15 pvc plinth H 15



bianco camelia (opz.606)
camellia white (opt.606)



argilla invecchiato
(opz.2445)
aged clay (opt.2445)



grigio invecchiato
(opz.2446)
aged grey (opt.2446)



alluminio satinato (opz.405)
satin aluminium (opt.405)

cornici frames




bianco camelia (opz.606)
camellia white (opt.606)



argilla invecchiato
(opz.2445)
aged clay (opt.2445)



grigio invecchiato
(opz.2446)
aged grey (opt.2446)



sezione cornice
frame cross-section

top H 4 consigliati in laminato bordo postformato recommended laminate worktops H 4 with post-formed edge

finto marmo bardiglio
(opz.390)
fake bardiglio marble
(opt.390)

bianco (opz.001)
white (opt.001)

pietra di nanto finitura wraky
(opz.812)
nanto stone with wraky finish
(opt.812)

nero marquinia lucido
(opz.781)
glossy marquinia black
(opt.781)



travertino (opz.240)
travertine (opt.240)

botticino (opz.380)
botticino (opt.380)



quarzo cipria finitura wraky
(opz.815)
pale pink quartz with wraky
finish (opt.815)

glitter bianco lucido
(opz.790)
polished white glitter stone
(opt.790)

MODULARITÀ E COMPONENTIBILITÀ MODULARITÀ E FITTING SOLUTIONS




MODULARITÀ E COMPONENTIBILITÀ MODULARITÀ AND FITTING SOLUTIONS




SCHEMA DI ALLACCIO IMPIANTO ELETTRICO IDRICO E GAS

POWER, WATER AND GAS NETWORKS CONNECTIONS DIAGRAM



SOTTOLAVELLO CON ANTE

SINK BASE UNIT WITH DOORS



SOTTOLAVELLO 2 CESTONI CON SIFONE SALVASPAZIO

SINK BASE UNIT WITH 2 DEEP DRAWERS AND SPACE-SAVER DRAIN PIPING