

zoe

Materiali pregiati e superfici differenti si coniugano con armonia in un raffinato insieme contemporaneo.

L'anta in acrilico di Zoe definisce uno stile finemente moderno, raffinatamente armonioso e contemporaneo, inseribile in qualsiasi tipologia compositiva e contesto architettonico. Ogni composizione garantisce un felice connubio tra praticità d'uso e soluzione estetica.

I moduli a giorno creano nuovi spazi e forme per cucine dinamiche e creative.





CREO ECOLOGIC

IL GRUPPO LUBE HA SCELTO DI UTILIZZARE PER I COMPONENTI COSTITUENTI LE STRUTTURE DELLE CUCINE SOLO MATERIALE A BASSISSIMA EMISSIONE DI FORMALDEIDE: CONFORMI ALLO STANDARD F4STELLE SECONDO LA NORMA JIS, CERTIFICATO DAL MINISTERO GIAPPONESE, IL PIU' SEVERO IN MERITO ALLE NORMATIVE DI SALVAGUARDIA AMBIENTALE.

Regarding the production of its kitchen structure components, lube group has decided to only use materials featuring very low formaldehyde emissions complying with the 4-star standard, as defined by the jis regulation. This standard is certified by the japanese government-the most rigorous when it comes to environmental protection.

Valuable materials and various surfaces come together harmoniously in a refined contemporary design. Zoe's acrylic doors determine a refined modern style, harmonious and contemporary, suitable for any type of composition and architectural contest. Each composition is the ideal combination of practicality and aesthetics. The open modules create new spaces and shapes for a dynamic, creative approach to the kitchen.

CARATTERISTICHE TECNICHE

ANTE E FRONTALI CASSETTI

pannello di particelle di legno (classe E1) spessore 16 mm rivestito sulla parte esterna e sui due lati laterali con strato di acrilico spessore 1,4 mm finitura lucida (90 gloss), nella parte interna con acrilico finitura goffrata spessore 1,2 mm bordato sui lati superiore ed inferiore con bordo in ABS lucido in tinta disponibili nei colori :
bianco neve (opz.761), senape (opz.8244), verde muschio (opz.8451), grigio (opz.379), ciclamino (opz.398), nuvolari (opz.9562), fango (opz.8882), visone (opz.947A), tortora chiaro (opz.895A), giallo moscato (opz.953A), lavanda (opz.913A), blu vetro (opz.8342), grigio antracite (opz.959A), bordeaux (opz.127)

pannello di particelle di legno (classe E1) spessore 16 mm rivestito sulla parte esterna e sui due lati laterali con strato di acrilico spessore 1,4 mm finitura opaca, nella parte interna con acrilico finitura opaca spessore 1,2 mm bordato sui lati superiore ed inferiore con bordo in ABS opaco in tinta disponibili nei colori :
bianco assoluto (opz.740A), avorio (opz.767A), caffè (opz.887A), tortora chiaro (opz.896A), visone (opz.946A), nero (opz.782A), giallo moscato (opz.952A), melanzana (opz.270A), lavanda (opz.912A), carta da zucchero (opz.918A) grigio antracite (opz.958A)

ANTE VETRO

di serie: telaio alluminio finitura brill sp. mm 20 con maniglia incorporata L 160 mm, vetro satinato sp. mm 4 (opz.416S)

a richiesta: telaio alluminio finitura brill sp. mm 20 con maniglia incorporata L 160 mm, vetro stop sol sp. mm 4 (opz.416M)
telaio alluminio finitura brill sp. mm 20 con maniglia incorporata L 160 mm, vetro colorato sp. mm 4 (opz. vedi pag.53)

MANIGLIE

di serie: F499 finitura cromo passo mm 160

a richiesta: 475C finitura cromo passo mm 96/160/320 in funzione dell'anta
475M finitura brown opaco passo mm 96/160/320 in funzione dell'anta
502 finitura cromo passo mm 64/160/320 in funzione dell'anta
547 finitura nichel satinato passo mm 64/160/320 in funzione dell'anta
F466 finitura cromo passo mm 160
477 finitura cromo passo mm 64/160/320 in funzione dell'anta
730 alluminio finitura acciaio spazzolato variabile in funzione della larghezza dell'anta
790C finitura cromo passo in funzione dell'anta
790M finitura brown opaco passo in funzione dell'anta
K01 finitura brill passo mm 160
420 pomo finitura nichel satinato passo mm 64
419 pomo finitura cromo con bassorilievo passo mm 32
940C incassata finitura cromo

STRUTTURE

ANTE: bianco neve lucido (opz.761), bianco assoluto opaco (opz.740A), blu vetro lucido (opz.8342), carta da zucchero opaca (opz.918A), verde muschio lucido (opz.8451), ciclamino lucido (opz.398), melanzana opaco (opz.270A), grigio antracite lucido (opz.959A), grigio antracite opaco (opz.958A), nero opaco (opz.782A), nuvolari lucido (opz.9562), bordeaux lucido (opz.127), lavanda lucido (opz.913A), lavanda opaco (opz.912A)
nobilitato bianco (opz.001), schiena e ripiano bianco (opz.001)

ANTE: avorio opaco (opz.767A), grigio lucido (opz.379), fango lucido (opz.8882), caffè opaco (opz.887A), visone lucido (opz.947A), visone opaco (opz.946A), tortora chiaro lucido (opz.895A), tortora chiaro opaco (opz.896A)
nobilitato devalé finitura grafis (opz.796) schiena e ripiano bianco (opz.001)

ANTE: giallo moscato lucido (opz.953A), giallo moscato opaco (opz.952A), senape lucido (opz.8244)
nobilitato perla d'oriente (opz.940) schiena e ripiano avorio (opz.930)

a richiesta: nobilitato grigio metallizzato (opz.941) schiena e ripiano bianco (opz.001)

MENSOLE

altezza cm 3,8 in laminato bianco (opz.001), devalé finitura grafis (opz.796), perla d'oriente (opz.940), grigio metallizzato (opz.941)

altezza cm 3,8 in acrilico colore come ante

ZOCCOLI

di serie: altezza 15 cm in pvc ricoperti in melamina colore alluminio satinato (opz.405)

a richiesta: altezza 15 cm in pvc ricoperti in melamina finitura acciaio (opz.407)
altezza 15 cm in pvc ricoperti in melamina bianco (opz.001)



TECHNICAL SPECIFICATIONS

DOORS AND DRAWER FRONTS

particle board panel (class E1) thickness 16 mm with acrylic coating on external surface and sides
thickness 1.4 mm with glossy finish (90 gloss), interior with embossed acrylic finish
thickness 1.2 mm edged in coloured gloss ABS on top and bottom, colours:

snow white (code 761), mustard (code 8244), moss green (code 8451), grey (code 379), cyclamen (code 398), Nuvolari grey (code 9562), mud (code 8882), mink (code 947A), light dove grey (code 895A), muscat yellow (code 953A), lavender (code 913A), glass blue (code 8342), anthracite grey (code 959A), maroon (code 127)

particle board panel (class E1) thickness 16 mm with acrylic coating on external surface and sides
thickness 1.4 mm matt finish, interior with matt finish acrylic
thickness 1.2 mm edged in coloured matt ABS on top and bottom, colours:

absolute white (code 740A), ivory (code 767A), coffee (code 887A), light dove grey (code 896A), mink (code 946A), black (code 782A), muscat yellow (code 952A), aubergine (code 270A), lavender (code 912A), sugar paper (code 918A), anthracite grey (code 958A)

GLASS DOORS

standard: aluminium frame with brill finish, thickness 20 mm with recessed handle L 160 mm, frosted glass thickness 4 mm (code 416S)

on request: aluminium frame with brill finish, thickness 20 mm with recessed handle L 160 mm, stop-sol glass thickness 4 mm (code 416M)
aluminium frame with brill finish, thickness 20 mm with recessed handle L 160 mm, coloured glass thickness 4 mm (code on page 53)

HANDLES

standard: F499 chrome finish, 160 mm centre-to-centre distance

on request: 475C chrome finish, 96/160/320 mm centre-to-centre distance depending on door
475M matt brown finish, 96/160/320 mm centre-to-centre distance depending on door
502 chrome finish, 64/160/320 centre-to-centre distance depending on the door
547 satin nickel finish, 64/160/320 centre-to-centre distance depending on the door
F466 chrome finish, 160 mm centre-to-centre distance
477 chrome finish, 64/160/320 mm centre-to-centre distance depending on door
730 aluminium with brushed steel finish, variable centre-to-centre distance depending on the door width
790C chrome finish, centre-to-centre distance depending on the door
790M brown matt finish, centre-to-centre distance depending on the door
K01 brill finish, 160mm centre-to-centre distance
420 knob hole satin nickel finish, 64 mm centre-to-centre distance
419 knob hole with chrome finish and low-relief decoration, 32 mm centre-to-centre distance
940C built-in, chrome finish

STANDARD CARCASSES

DOORS: GLOSSY SNOW WHITE (code 761), MATT ABSOLUTE WHITE (code 740A), GLOSSY GLASS BLUE (code 8342), MATT SUGAR PAPER (code 918A), GLOSSY MOSS GREEN (code 8451), GLOSSY CYCLAMEN (code 398), MATT AUBERGINE (code 270A), GLOSSY ANTHRACITE GREY (code 959A), MATT ANTHRACITE GREY (code 958A), MATT BLACK (code 782A), GLOSSY NUVOLARI GREY (code 9562), GLOSSY MAROON (code 127), GLOSSY LAVENDER (code 913A), MATT LAVENDER (code 912A)
melamine-coated white (code 001), white back panel and shelf (code 001)

DOOR: MATT IVORY (code 767A), GLOSSY GREY (code 379), GLOSSY MUD (code 8882), MATT COFFEE (code 887A), GLOSSY MINK (code 947A), MATT MINK (code 946A), GLOSSY LIGHT DOVE GREY (code 895A), MATT LIGHT DOVE GREY (code 896A)
melamine-coated devalè with grafis finish (code 796), white back panel and shelf (code 001)

DOORS: GLOSSY MUSCAT YELLOW (code 953A), MATT MUSCAT YELLOW (code 952A), GLOSSY MUSTARD (code 8244)
melamine-coated oriental pearl (code 940), ivory back panel and shelf (code 930)

on request: melamine-coated metallic grey (code 941), white (code 001) back panel and shelf

SHELVES

height 3.8 cm, laminate in white (code 001), devalè with grafis finish (code 796), oriental pearl (code 940), metallic grey (code 941)

height 3.8 cm in acrylic of same colour as door

PLINTHS

standard: height 15 cm, melamine-coated pvc with satin aluminium finish (code 405)

on request: height 15 cm, melamine-coated pvc with steel finish (code 407)
height 15 cm, white melamine-coated finish (code 001)

zoe

ante acrilico lucido glossy acrylic door



bianco neve lucido
(opz.761)
glossy snow white
(code 761)

senape lucido
(opz.8244)
glossy mustard
(code 8244)

verde muschio lucido
(opz.8451)
glossy moss green
(code 8451)

grigio lucido
(opz.379)
glossy grey
(code 379)

ciclamine lucido
(opz.398)
glossy cyclamen
(code 398)



nuvolari lucido
(opz.9562)
glossy nuvolari grey
(code 9562)

fango lucido
(opz.8882)
glossy mud
(code 8882)

visone lucido
(opz.947A)
glossy mink
(code 947A)

giallo moscato lucido
(opz.953A)
glossy muscat yellow
(code 953A)

tortora chiaro lucido
(opz.895A)
glossy light dove grey
(code 895A)



lavanda lucido
(opz.913A)
glossy lavender
(code 913A)

blu vetro lucido
(opz.8342)
glossy glass blue
(code 8342)

grigio antracite lucido
(opz.959A)
glossy anthracite grey
(code 959A)

bordeaux lucido
(opz.127)
glossy maroon
(code 127)

ante acrilico opaco matt acrylic door




bianco assoluto opaco
(opz.740A)
matt absolute white
(code 740A)

avorio opaco
(opz.767A)
matt ivory
(code 767A)

tortora chiaro opaco
(opz.896A)
matt light dove grey
(code 896A)

caffè opaco
(opz.887A)
matt coffee
(code 887A)



visone opaco
(opz.946A)
matt mink
(code 946A)

nero opaco
(opz.782A)
matt black
(code 782A)

giallo moscato opaco
(opz.952A)
matt muscat yellow
(code 952A)

melanzana opaco
(opz.270A)
matt aubergine
(code 270A)




lavanda opaco
(opz.912A)
matt lavender
(code 912A)

carta da zucchero opaco
(opz.918A)
matt sugar paper
(code 918A)

grigio antracite opaco
(opz.958A)
matt anthracite grey
(code 958A)

SP. 20 MM TH.20 MM



**anta con raggio 1,5 mm sui lati verticali,
bordo sp.1,2 mm nei lati orizzontali**

door with 1.5 mm radius on vertical
sides, edge 1.2 mm thick on horizontal
sides

zoe


ante vetro alluminio finitura brill vetro satinato
door, brill finish aluminium frame and frosted glass panel



**anta con telaio alluminio
finitura brill, vetro satinato
(opz.416S)**
door with aluminium frame
brill finish, frosted glass
(code 416S)



**cestone con telaio alluminio
finitura brill, vetro satinato
(opz.416S)**
deep drawer with aluminium frame
brill finish, frosted glass (code 416S)




ante vetro alluminio finitura brill vetro stop sol
glass aluminium door with brill finish, stop-sol glass



**anta con telaio alluminio
finitura brill, vetro stop sol
(opz.416M)**
door with aluminium frame
brill finish, stop-sol glass
(code 416M)



**cestone con telaio alluminio
finitura brill, vetro stop sol (opz.416M)**
deep drawer with aluminium frame
brill finish, stop-sol glass (code 416M)



ZOE

ante telaio alluminio vetro colorato
aluminium framed doors with coloured glass




anta telaio alluminio finitura brill,
maniglia incorporata L 160 mm
con vetro visone (opz.946SA)

door with brill finish aluminium
frame, recessed handle L 160 mm
with mink glass (code 946SA)




cestone telaio alluminio finitura brill,
maniglia incorporata L 160 mm
con vetro visone (opz.946SA)


deep drawer with brill finish aluminium
frame, recessed handle L 160 mm
with mink glass (code 946SA)



colori vetri glass colours




bianco neve snow white
(opz.730SA) satinato frosted
(opz.710A) lucido glossy



avorio ivory
(opz.731SA) satinato frosted
(opz.711A) lucido glossy



giallo ambra amber yellow
(opz.723SA) satinato frosted
(opz.723A) lucido glossy




sabbia sand
(opz.726SA) satinato frosted
(opz.726A) lucido glossy



corda jute
(opz.736SA) satinato frosted
(opz.736A) lucido glossy




blu oltremare ultramarine blue
(opz.737SA) satinato frosted
(opz.737A) lucido glossy



lavanda lavender
(opz.9141A) satinato frosted
(opz.9142A) lucido glossy




rosso chiaro light red
(opz.724SA) satinato frosted
(opz.724A) lucido glossy



visone mink
(opz.946SA) satinato frosted
(opz.945A) lucido glossy



caffè coffee
(opz.887SA) satinato frosted
(opz.888A) lucido glossy



grafite graphite
(opz.727SA) satinato frosted
(opz.727A) lucido glossy



blu aviazione aviation blue
(opz.8363A) satinato frosted
(opz.8364A) lucido glossy

DI SERIE STANDARD



Maniglia F499 finitura cromo
passo 160 mm
passo 64 mm solo per anta L 15

Handle F499 chrome finish
centre-to-centre distance 160 mm
centre-to-centre distance 64 mm for door W 15

A RICHIESTA ON REQUEST



Maniglia F466 finitura cromo
passo 160 mm
passo 64 mm solo per anta L 15

Handle F466 chrome finish
centre-to-centre distance 160 mm
centre-to-centre distance 64 mm for door W 15

A RICHIESTA ON REQUEST **NEW**



Maniglia K01 finitura cromo
passo 160 mm
passo 64 mm solo per anta L 15

Handle K01 chrome finish
centre-to-centre distance 160 mm
centre-to-centre distance 64 mm for door W 15

A RICHIESTA ON REQUEST



Maniglia 502 finitura cromo
anta L 15 → passo 64 mm
anta da L 30 a L 45 → passo 160 mm
anta da L 60 a L 120 → passo 320 mm

Handle 502 chrome finish
door W 15 → centre-to-centre distance 64 mm
door from W 30 to W 45 → centre-to-centre distance 160 mm
door from W 60 to W 90 → centre-to-centre distance 320 mm

A RICHIESTA ON REQUEST



Maniglia 547 finitura nichel satinato
anta L 15 → passo 64 mm
anta da L 30 a L 45 → passo 160 mm
anta da L 60 a L 120 → passo 320 mm

Handle 547 satin nickel finish
door W 15 → centre-to-centre distance 64 mm
door from W 30 to W 45 → centre-to-centre distance 160 mm
door from W 60 to W 90 → centre-to-centre distance 320 mm

A RICHIESTA ON REQUEST



Maniglia 477 finitura cromo
anta L 15 → passo 64 mm
anta da L 30 a L 45 → passo 160 mm
anta da L 60 a L 120 → passo 320 mm

Handle 477 chrome finish
door W 15 → centre-to-centre distance 64 mm
door from W 30 to W 45 → centre-to-centre distance 160 mm
door from W 60 to W 90 → centre-to-centre distance 320 mm

A RICHIESTA ON REQUEST



Maniglia 475C finitura cromo
anta L 15 → passo 96 mm
anta da L 30 a L 45 → passo 160 mm
anta da L 60 a L 90 → passo 320 mm

Handle 475C chrome finish
door W 15 → centre-to-centre distance 96 mm
door from W 30 to W 45 → centre-to-centre distance 160 mm
door from W 60 to W 90 → centre-to-centre distance 320 mm

A RICHIESTA ON REQUEST



Maniglia 475M finitura brown opaco
anta L 15 → passo 96 mm
anta da L 30 a L 45 → passo 160 mm
anta da L 60 a L 90 → passo 320 mm

Handle 475M matt brown finish
door W 15 → centre-to-centre distance 96 mm
door from W 30 to W 45 → centre-to-centre distance 160 mm
door from W 60 to W 90 → centre-to-centre distance 320 mm

A RICHIESTA ON REQUEST



Maniglia 730 finitura acciaio spazzolato
passo in funzione della larghezza dell'anta

Handle 730 brushed steel finish
centre-to-centre distance varies according to the width of the door

A RICHIESTA ON REQUEST



Maniglia 790C finitura cromo
passo in funzione dell'anta

Handle 790C chrome finish
centre-to-centre distance varies according to the door

A RICHIESTA ON REQUEST



Maniglia 790M finitura brown opaco
passo in funzione dell'anta

A RICHIESTA ON REQUEST



Pomo 420 finitura nichel satinato
passo 64 mm

Knob 420 satin nickel finish
centre-to-centre distance 64 mm

A RICHIESTA ON REQUEST



Pomo 419 finitura cromo con bassorilievo
passo 32 mm

Knob 419 chrome finish with relief
centre-to-centre distance 32 mm

A RICHIESTA ON REQUEST



Maniglia 940C ad incasso finitura cromo
dimensioni mm L 182 H 47

Handle 940C recessed chrome finish
sizes mm W 182 H 47

PARTICOLARE MANIGLIA 940 C DETAIL OF HANDLE 940 C



zoe

strutture carcasses



bianco (opz.001)
schiena e ripiano bianco (opz.001)
white (code 001)
white back panel and shelf (code 001)



devalè finitura grafis (opz.796)
schiena e ripiano bianco (opz.001)
devalè with grafis finish (code 796)
white back panel and shelf (code 001)



perla d'oriente (opz.940)
schiena e ripiano avorio (opz.930)
oriental pearl (code 940)
ivory back panel and shelf (code 930)



grigio metallizzato (opz.941)
schiena e ripiano bianco (opz.001)
metallic grey (code 941)
white back panel and shelf (code 001)



CREO ECOLOGIC

IL GRUPPO LUBE HA SCELTO DI UTILIZZARE PER I COMPONENTI COSTITUENTI LE STRUTTURE DELLE CUCINE SOLO MATERIALE A BASSISSIMA EMISSIONE DI FORMALDEIDE: CONFORMI ALLO STANDARD ***** SECONDO LA NORMA JIS, CERTIFICATO DAL MINISTERO GIAPPONESE, IL PIÙ SEVERO IN MERITO ALLE NORMATIVE DI SALVAGUARDIA AMBIENTALE.

LUBE GROUP HAS CHOSEN TO EXCLUSIVELY USE MATERIALS WITH VERY LOW FORMALDEHYDE EMISSIONS FOR THE COMPONENTS MAKING UP THE KITCHEN CARCASSES: THESE ELEMENTS COMPLY WITH THE F4 STAR STANDARD ACCORDING TO JIS, CERTIFIED BY THE JAPANESE GOVERNMENT - THE MOST STRINGENT WHEN IT COMES TO ENVIRONMENTAL PROTECTION

zoccoli in pvc H 15 pvc plinth H 15



alluminio satinato
(opz.405)
satin aluminium
(code 405)



acciaio (opz.407)
steel (code 407)



bianco (opz.001)
white (code 001)

ZOE

mensole in laminato laminate shelves



bianco (opz.001)
white (code 001)



devalè finitura grafis (opz.796)
devalè with grafis finish (code 796)



perla d'oriente (opz.940)
oriental pearl (code 940)



grigio metallizzato (opz.941)
metallic grey (code 941)

mensole in acrilico acrylic shelves



in acrilico come anta


N.B.: per le finiture vedi colori ante acrilico

acrylic as door

for finishes see acrylic doors colours

top H 4 consigliati in laminato bordo postformato


recommended laminate worktops H 4 with post-formed edge



bianco (opz.001)
white




sabbia finitura mika
(opz.823)
sand with mika finish




calce finitura wraky
(opz.814)
white-wash with wraky finish




grigio cemento finitura touch
(opz.786)
grey cement with touch finish




beige chiaro (opz.008)
light beige




fire coat (opz.372)
coat fire




piasentina finitura cliff
(opz.776) piasentina stone
with cliff finish



ardesia (opz.785)
slate grey



tortora finitura plamky
(opz.1027)
dove grey with plamky finish




shiro finitura flatting
(opz.4545)
shiro whit flatting finish

top H 4 consigliati in laminato bordo ABS 1

recommended laminate worktops H 4 with ABS 1 edge




bianco finitura velvet
(opz.800)
white with velvet finish




caffè finitura cristal
(opz.831)
coffee with crystal finish



sabbia finitura mika
(opz.823)
sand with mika finish




calce finitura wraky
(opz.814)
white-wash with wraky finish




grigio chiaro finitura plamky
(opz.1366)
light grey with plamky finish




antracite finitura flatting
(opz.858)
anthracite with flatting finish




travertino beige con stuccature
finitura plamky (opz.822)
travertine beige with putty
plamky finish



cemento finitura plamky
(opz.6066)
cement with plamky finish






corda finitura plamky
(opz.1109)
jute with plamky finish




tortora finitura plamky
(opz.1027)
dove grey with plamky finish

MODULARITÀ E COMPONIBILITÀ MODULARITY AND FITTING SOLUTIONS




SCHEMA DI ALLACCIO IMPIANTO ELETTRICO IDRICO E GAS

POWER, WATER AND GAS NETWORKS CONNECTIONS DIAGRAM



SOTTOLAVELLO CON ANTE
SINK BASE UNIT WITH DOORS



SOTTOLAVELLO 2 CESTONI CON SIFONE SALVASPAZIO
SINK BASE UNIT WITH 2 DEEP DRAWERS AND SPACE-SAVER DRAIN PIPING